ULISE International Journal of Health Sciences and Research

www.ijhsr.org

Original Research Article

A Study on Medico Legal Cases Attended in a Tertiary Care Hospital in South Kerala

Dr. Manju. L¹, Dr. Nazeema Beevi. P²

¹Assistant Professor of Biostatistics, Department of Community Medicine, Sree Gokulam Medical College & Research Foundation, Venjaramoodu, Trivandrum- 695 581. ²Associate Professor, Department of Community Medicine, Sree Gokulam Medical College & Research

²Associate Professor, Department of Community Medicine, Sree Gokulam Medical College & Research Foundation, Venjaramoodu, Trivandrum- 695 581.

Corresponding Author: Dr. Manju. L

ABSTRACT

Background: Medico legal cases constitute the majority of casualty cases in a hospital. Identifying the pattern and age-sex distribution of medico legal cases reported in a hospital is important for administrators, social workers and NGOs to devise policies to reduce the frequency of these events. With this objective we had conducted a record based study in a tertiary care hospital in South Kerala.

Materials and methods: A record based retrospective study is carried out in the Medical Records Department of a tertiary care hospital in Trivandrum, Kerala, India. All cases reported during the period 1st January 2014 to 31st December 2017 were analyzed. Incomplete records and those found non- medico legal were excluded. Results were expressed in frequency and percentage.

Results: A total number of 8615 cases were reported during 2014 to 2017. There is an increase in the number of cases from 2014 to 2016 and a decrease of 9% in 2017. Among the 8615 cases reported, 29.7% were in the age group 20-30 years followed by 19.3% in the 30-40 age group. Majorities are males (71.3%). 36.9% of cases were reported between 12 noon and 6pm followed by 35.0% within the time period 6pm to 12 midnight. Eighty percent of the MLC cases are road traffic accidents.

Conclusion: There is an increase in trend in the MLC during the last three years. Majorities are males in the age group of 20-30 years and most of the cases occurred between 12 noon and 6pm. Road traffic accidents constitute the majority of cases.

Keywords: Assault; Casualty; Injury; Medico legal cases; Poisoning; Road traffic accidents.

INTRODUCTION

Medico legal cases constitute the majority of casualty cases in a hospital. A medico-legal case (MLC) is a case of injury or illness where the doctors who attend the case recorded the history and examining the patient. Also some investigation by lawenforcing agencies is essential to establish and fix responsibility for the case in accordance with the law of the land. ^[1] MLC constitutes road traffic accidents, sexual offences, assault, poisoning, suicidal attempt, burns, drug overdose etc. Majority of the medico-legal cases are due to road traffic accidents. According to the official web site of Kerala police, 1,14,716 road traffic accidents (RTA) occurred during 2014-2016. ^[2] According to National Crime Records Bureau of India, Kerala ranks 3rd in suicidal deaths. ^[3] The number and nature of MLCs reported in a hospital depends on the nature of the roads, socio economic factors and cultural diversity of the people residing in that area.

Identifying the pattern and age-sex distribution of MLCs reported in a hospital is important for administrators, social workers and NGOs to devise policies to reduce the frequency of these events.

Objective

To analyze the age-sex distribution and the pattern of medico legal cases attending in a tertiary care hospital in South Kerala.

MATERIALS AND METHODS

A record based retrospective study is carried out in the Medical Records Department of a tertiary care hospital in Trivandrum, Kerala, India. All cases reported during the period 1st January 2014 to 31st December 2017 were analyzed. Incomplete records and those found nonmedico legal were excluded. A total number of 8615 cases were analyzed. Data related to the time of reporting the casualty, age, gender, cause of being MLC were collected from the records. SPSS ¹⁶ is used for data storing and analysis. Results were expressed in frequency and percentage.

RESULTS

Table 1 shows the number of cases registered during 2014 to 2017. There is an increase in trend in the number of cases from 2014 to 2017. Two thousand and seven cases were registered in 2014 followed by an increase of 3% in 2015. In 2016, 15% more cases were reported compared to 2015 and in 2017 there was decrease of 9% compared to the 2016.

Table 1. Nun	nber of cases	registered from	n 2014 to 2017	7

Year	Number	%
2014	2007	23.3
2015	2068	24.0
2016	2378	27.6
2017	2162	25.1
All	6453	100

Table 2 shows the distribution of cases according to age. Highest proportion falls in the age group 20-30 years (29.7%) followed by 30-40 years (19.3%).

	Table 2. Distribution according to age							
	Age(yrs)					Total		
Year	<=10	10-20	20-30	30-40	40-50	50-60	>=60	
2014	118	244	611	441	273	196	124	2007
	(5.9%)	(12.2%)	(30.4%)	(22.0%)	(13.6%)	(9.8%)	(6.2%)	(100%)
2015	90	306	611	400	272	227	162	2068
	(4.4%)	(4.8%)	(29.5%)	(19.3%)	(13.2%)	(11.0%)	(7.8%)	(100%)
2016	140	347	692	419	321	248	211	2378
	(5.9%)	(14.6%)	(29.1%)	(17.6%)	(13.5%)	(10.4%)	(8.9%)	(100%)
2017	112	329	642	405	294	216	164	2162
	(5.2)	(15.2)	(29.7)	(18.7)	(13.6)	(10.0)	(7.6)	(100)
Total	460	1226	2556	1665	1160	887	661	8615
	(5.3%)	(14.2%)	(29.7%)	(19.3%)	(13.5%)	(10.3%)	(7.7%)	(100%)

Figure 1 shows the distribution of cases according to gender. Out of the total of 8615 cases, 71.2% were males




Table 3 shows the time of reporting the casualty. More cases were reported during 12 noon to 6pm followed by 6pm to12 midnight. This may be due to the fact that most of the RTA cases were occurred during this period and a major part of medico legal cases constitute RTA cases.

Table 4 shows the distribution of the pattern of cases reported during 2014 to 2017. Among the various cases registered, RTA constitutes the highest proportion. In 2014, 79.1% of cases were registered it increased to 82% in 2017.

Year	Time				
	12midnight to 6am	6am to 12noon	12 noon to 6pm	6pm to 12midnight	
2014	107	428	772	700	2007
	(5.3%)	(21.3%)	(38.5%)	(34.9%)	(100%)
2015	109	489	790	680	2068
	(5.3%)	(23.7%)	(38.2%)	(32.8%)	(100%)
2016	142	535	824	877	2378
	(6.0%)	(22.5%)	(34.7%)	(36.9%)	(100%)
2017	125	484	791	761	2162
	(5.8%)	(22.4%)	(36.58%)	(35.22%)	(100%)
All	483	1936	3177	3018	8615
	(5.6%)	(22.5%)	(36.9%)	(35.0%)	(100%)

Table 3. Distribution according to time of reporting

	Tuble in Lutter	II OI MILC Cases	reported	
	2014	2015	2016	2017
RTA	1587(79.1%)	1563(75.6%)	1902(80.0%)	1775(82.1%)
Assault	150(7.5%)	132(6.4%)	141(5.9%)	127(5.9%)
Poisoning	66(3.3%)	76(3.7%)	70(2.9%)	55(2.5%)
Drug over doze	71(3.5%)	77(3.7%)	89(3.7%)	72(3.3%)
Injury	38(1.9%)	43(2.1%)	40(1.7%)	31(1.4%)
Fall from height	34(1.7%)	88(4.3%)	36(1.5%)	35(1.6%)
Burns	17(0.8%)	17(0.8%)	28(1.2%)	6(0.3%)
Suicidal attempt	15(0.7%)	26(1.3%)	4(0.2%)	8(0.4%)
Brought dead	10(0.5%)	7(0.3%)	13(0.5%)	4(0.2%)
Hanging	8(0.4%)	20(1.0%)	25(1.1%)	21(1.0%)
Drowning	0(0%)	6(0.3%)	2(0.1%)	1(0.0%)
Fall into well	5(0.2%)	2(0.1%)	6(0.3%)	4(0.2%)
Unconscious	2(0.1%)	4(0.2%)	6(0.3%)	3(0.1%)
Lightning	0(0%)	1(0%)	0(0%)	0(0.0%)
Animal injury/bite	0(0%)	2(0.1%)	4(0.2%)	1(0%)
Human bite	1(0%)	1(0%)	0(0%)	0(0%)
Fire explosion	2(0.1%)	2(0.1%)	1(0.0%)	1(0.0%)
Domestic violence	1(0%)	0(0%)	0(0%)	0(0%)
DSH	0(0%)	1(0%)	10(0.4%)	17(0.8%)

Table 4. Pattern of MLC cases reported

DISCUSSION

The present study indicates an increase in trend in MLC cases during the past three years. Males (71.3%) are more compared to females (29%). This confirms with the study conducted by Dileep Kumar R et al, ^[4] Santhosh Chandrappa Siddappa et al, ^[5] Timsinha et al ^[6] and Brahmankar TR et al. ^[7] This may be due to the fact that males are more exposed to vehicle use and outdoor activities. The most common age group is 20-30 years (29.7%) followed by 30-40 years (19.3%). This agrees with the studies conducted by S. N. Husssaini et.al, ^[8] Muhammad Amjad Bhatti et al, ^[9] Haridas et al, ^[10] and Santhosh Chandrappa Siddappa et al. ^[5] Considering the time of occurrence, maximum number of MLC took place between 12 noon and 6 pm followed by 6pm to 12 mid night. This is the time when most of the human activities take place and vehicle uses are more. This agrees with the report of Trangadia MM et al.^[11] Santhosh Chandrappa Siddappa et al, ^[5]

Yatoo GH et al. ^[12] By analyzing the pattern of cases it is observed that maximum number of MLC are RTA followed by assault. This agrees with the findings of Dileep Kumar R, ^[4] Timsinha et al, ^[6] Hussaini et al, ^[8] Trangadia MM et al, ^[11] Yatoo G H et al. ^[12]

CONCLUSION

The present study shows an increase in trend in medico legal cases. Most of the victims are males in the age group of 20-30 years and RTAs accounts the major part of MLCs. By imparting proper education and awareness among public the frequency of these cases can be reduced. Strict laws should be enforced to reduce the road traffic accidents. Better training should be given to doctors who handle these cases.

REFERENCES

1. Dogra TD, Rudra A. Lyon's Medical Jurisprudence & Toxicology. 11th Ed. Delhi Law House, 2005:367.

- 2. http://keralapolice.org/newsite/pdfs/Road/20 16/road_accidents_upto_2016.pdf
- 3. http://ncrb.gov.in/adsi-2014 fill report.pdf
- Dileep Kumar R, Siddaramanna TC, Shailesh V Parate, Hemanthraj M N. Retrospective Study of Profile of Medicolegal Cases in Tumkur Region, Karnataka. International Journal of Biomedical and Advance Research 2015; 6(4): 339-340.
- Santhosh Chandrappa Siddappa, Anupam Datta. A Study Pattern of Medico-legal Cases Treated at a Tertiary Care Hospital in Central Karnataka. Indian Journal of Forensic and Community Medicine 2015;2(4):193-197.
- Sidhart Timsinha, Suvarna Manjari Kar, Madan Prasad Baral, Malshree Ranjitkar . Profile of Pattern of Medico-Legal Cases in the Casualty of A Teaching Hospital of Western Region of Nepal .J Indian Acad Forensic Med. Jan-March 2015, 37(1):46-49.
- Tanuja R. Brahmankar, Sachin K. Sharma . A record based study of frequency and pattern of medico-legal cases reported at a tertiary care hospital in Miraj. International Journal of Community Medicine and Public Health 2017;4(4):1348-1352.

- SN Hussaini, CS Kulkarni, AK Batra. Profile of medico-legal cases coming to casualty of government medical college, Akola. Journal of Forensic Medicine, Science and Law, A Journal of Medicolegal Association of Maharashtra 2013, 22(2):1-5.
- 9. Muhammad Amjad Bhatti, Shahid Mahmood and Shahid Hanif. Profile of Medicolegal Cases Attending Trauma Center Of District Headquarter Teaching Hospital, Gujranwala. Esculapio; 2013;9(3) :146-149.
- 10. Haridas SV, Pawale DA. A retrospective study of pattern of clinical Medico-legal cases registered at tertiary health care centre in Kolhapur district. J Forensic Med, Sci Law; 2014;23(2):1-5.
- 11. Trangadia MM, Mehta RA, Rada NH, Gupta BD. Profile of medico-legal cases in tertiary care hospital in Jamnagar, Gujarat: Retrospective study of one year. Journal of Research in Medical and Dental Science 2014; 2(4): 57-62.
- 12. Yatoo GH, Jalali S, Malik A, Khan A. Profile and pattern of medico-legal cases attending tertiary care hospital in North India. International Journal of Medicine and Pharmaceutical Sciences 2015; 5(5): 1-8.

How to cite this article: Manju. L, Beevi PN. A study on medico legal cases attended in a tertiary care hospital in south Kerala. Int J Health Sci Res. 2018; 8(11):257-260.
